



# CONTENTS OF VOLUME 119

Vol. 119B, No. 1

## Reviews

J.-M. Kornprobst, C. Sallenave and G. Barnathan  
T. Seki and K. Vogt

T. Yoshikawa and T. Oishi

## General Papers

V. I. Svetashev and M. V. Vysotskii

O. S. Klyachko and N. D. Ozernyuk

J. Knauer, R. G. Kerr, D. Lindley and P. C. Southgate

M. E. Roque, S. J. Pasquaré, P. I. Castagnet and N. M. Giusto

Y. Kera, S. Hasegawa, T. Watanabe, H. Segawa and R.-h. Yamada

O. Pérez Borla, C. B. Martone and J. J. Sánchez

Y. Miura and S.-i. Oda

E. Gomes-Quintana, M. L. Barriviera and A. Hassón-Voloch

S. M. Munkitjo and S. P. Mackessy

R. M. G. Wells, P. E. McShane, N. Ling, R. J. Wong, T. O. C. Lee and J. Baldwin

E. Pfeiler

C. Buesa, L. del Valle, N. Saperas, M. Goethals, D. Lloris and M. Chiva

J.-Y. Yeh, B.-R. Ou, Q.-P. Gu and P. D. Whanger

I. Kim, G. Young Koh and C. O. Lee

D. O. Ogoyi, E. O. Osir and N. K. Olembo

A. M. Kazennov, M. N. Maslova, Y. A. Matskevich, F. A. Rustamov and A. D. Shalabodov

K. Matsubara, H. Sumi, K. Hori and K. Miyazawa

S. J. Richardson, K. M. Dziegielewska, N. A. Andersen, S. Frost and G. Schreiber

M. Nuijnen, K. Rafn, L. Skou, P. Roepstorff and S. O. Andersen

G. G. Holz and T. J. Turner

S. Ando, X.-H. Xue, G. F. Tibbits and N. H. Haunerland

- 1 Sulfated compounds from marine organisms
- 53 Evolutionary aspects of the diversity of visual pigment chromophores in the class insecta
- 65 Extraretinal photoreception and circadian systems in nonmammalian vertebrates
- 73 Fatty acids of *Heliopora coerulea* and chemotaxonomic significance of tetracosapolyenoic acids in coelenterates
- 77 Functional and structural properties of lactate dehydrogenase from embryos of different fishes
- 81 Sterol metabolism of Pacific oyster (*Crassostrea gigas*) spat
- 85 Can phosphorylation and dephosphorylation of rod outer segment membranes affect phosphatidate phosphohydrolase and diacylglycerol lipase activities?
- 95 D-Aspartate oxidase and free acidic D-amino acids in fish tissues
- 101 Protease I inhibitor system in fish muscle: a comparative study
- 107 Oxidation of fatty acids by kidney microsomes of musk shrew (*Suncus murinus*)
- 113 Lipid composition of normal and denervated electrocyte membranes: quantitative thin-layer and gas-liquid chromatography analysis
- 119 Effects of temperature and storage conditions on the electrophoretic, toxic and enzymatic stability of venom components
- 129 Effect of wave action on muscle composition, metabolites and growth indices in the New Zealand abalone, *Paua (Haliotis iris)*, with implications for harvesting and aquaculture
- 137 Acidic glycosaminoglycans in marine teleost larvae: Evidence for a relationship between composition and negative charge density in *Elopomorph leptocephali*
- 145 Primary structure of scombrine  $\alpha$ : two different species with an identical pro-tamine
- 151 Influence of gender on selenoprotein W, glutathione peroxidase and selenium in tissues of rats
- 157 Identification of alternatively spliced  $\text{Na}^+/\text{Ca}^{2+}$  exchanger isoforms expressed in the heart
- 163 Fat body triacylglycerol lipase in solitary and gregarious phases of *Schistocerca gregaria* (forsskal) (orthoptera: acrididae)
- 169 Species variability of erythrocyte transport ATPases in mammals
- 177 Purification and characterization of two fibrinolytic enzymes from a marine green alga, *Codium intricatum*
- 183 The acute phase response of plasma proteins in the polyprotodone marsupial *Monodelphis domestica*
- 189 Characterisation of exoskeletal proteins from the American lobster, *Homarus americanus*
- 201 Pertussis toxin-sensitive GTP-binding proteins characterized in synaptosomal fractions of embryonic avian cerebral cortex
- 213 Cloning and sequencing of complementary DNA for fatty acid binding protein from Rainbow trout heart

- C. Ferreira, B. B. Torres and W. R. Terra  
H. Uchida, Y.-X. Chen, H. Nagai, Y. Fujisaki, K. Harihara, N. Saka, Y. Kugisaki and A. Nomura  
A. Kashiwagi, K. Kashiwagi, M. Takase, H. Hanada, M. Yamashita, T. Naitoh and M. Nakamura
- J. Wang, M. Adachi and D. E. Rhoads  
S. M. Wright and A. M. Salter  
A. H. Warner and C. Matheson  
G. C. Burdge and A. D. Postle  
A. M. Scivener, H. Watanabe and H. Noda  
M. Berri, P. Rouchon, M. Zabari and A. Ouali  
I. Ben-Shooshan and A. H. Parola  
C. McGee, G. B. Wisdom, I. Fairweather, R. P. Blackshaw, J. McIlroy and B. Walker  
W. J. Bettger, C. B. Blackadar, M. L. McCorquodale and R. Ewing  
J. P. Harrington  
M. Vázquez, M. Merlos, T. Adzet and J. C. Laguna  
T. Zeke, P. Gergely and V. Dombrádi  
P. S. Brookes, J. A. Buckingham, A. M. Tenreiro, A. J. Hulbert and M. D. Brand  
I. Kątnik, M. Pucek and T. Stefaniak  
G. A. Stewart, M. van Hage-Hamsten, K. Krška, P. J. Thompson and S. Olsson  
N. Fresquet, D. Fournier and M. Gauthier  
A. K. Felskie, P. M. Anderson and P. A. Wright  
P. M. Heegaard, J. Klausen, J. P. Nielson, N. González-Ramón, M. Piñero, F. Lampreave and M. A. Alava  
K. Yamamoto, I. Matsui, T. Nakatani, K. Matsuura and H. Sinohara  
N. W. Ohan, Y. Tam and J. J. Heikkilä  
W. V. Brown, R. Morton, M. J. Lacey, J. P. Spardbery and R. J. Mahon  
N. Matsuoka, T. Hosoya, T. Hamaya and A. Abe  
S. Prigent, M. Matoub, C. Rouland and M.-L. Cariou
- 219 Substrate specificities of midgut  $\beta$ -glycosidases from insects of different orders  
227 Distribution of adenosine (phosphate) deaminases with unusual substrate specificity in marine molluscs  
235 Inhibitor and temperature effect on catalase in the liver of adult diploid and haploid *Rana rugosa*
- Vol. 119B, No. 2
- 241 A calnaktin-like inhibitor of NA,K-ATPase in rat brain: regulations of  $\alpha 1$  and  $\alpha 2$  isozymes  
247 Effects of soy protein on plasma cholesterol and bile acid excretion in hamsters  
255 Release of proteases from larvae of the brine shrimp *Artemia franciscana* and their potential role during the molting process  
265 Pregnancy-associated adaptations to hepatic phosphatidylcholine biosynthesis in the guinea-pig  
273 Properties of digestive carbohydrase activities secreted by two cockroaches, *Panesthia cribrata* and *Periplaneta americana*  
283 Purification and characterization of a new potential in vivo inhibitor of cathepsin L from bovine skeletal muscle  
289 The CP-I subunit of adenosine deaminase complexing protein from calf kidney is identical to human, mouse, and rat dipeptidyl peptidase IV  
293 Characterization of the proteins present in the mucus of the flatworm *Artioposthia triangulata* (Dendy)  
299 The occurrence of iso 24:0 (22-methyltricosanoic acid) fatty acid in sphingomyelin of rat tissues  
305 Alteration of redox stability of hemoglobins A and S by biological buffers  
311 Influence of lipid profile and fatty acid composition on the oxidation behavior of rat and guinea pig low density lipoprotein  
317 The catalytic subunits of Ser/Thr protein phosphatases from *Caenorhabditis elegans*  
325 The proton permeability of the inner membrane of liver mitochondria from ectothermic and endothermic vertebrates and from obese rats: Correlations with standard metabolic rate and phospholipid fatty acid composition  
335 Cross reactivities among some mammalian haptoglobins studied by a monoclonal antibody  
341 An enzymatic analysis of the storage mite *Lepidoglyphus destructor*  
349 A new attempt to assess the effect of learning processes on the cholinergic system: Studies on fruitflies and honeybees  
355 Expression and activity of carbamoyl phosphate synthetase III and ornithine urea cycle enzymes in various tissues of four fish species  
365 The porcine acute phase response to infection with actinobacillus pleuropneumoniae. Haptoglobin, C-reactive protein, major acute phase protein and serum amyloid A protein are sensitive indicators of infection  
375 Cloning and sequencing of cDNA encoding haptoglobin, an acute phase protein in syrian hamster, *Mesacricetus auratus*  
381 Heat-shock-induced assembly of hsp30 family members into high molecular weight aggregates in *Xenopus laevis* cultured cells  
391 Identification of the geographical source of adults of the old world screw-worm fly, *Chrysomya bezziana* villeneuve (Diptera:Calliphoridae), by multivariate analysis of cuticular hydrocarbons  
401 Phylogenetic relationships among four species of stag beetles (Coleoptera: Lucanidae) based on allozymes  
407 Metabolic evolution in  $\alpha$ -amylases from *Drosophila virilis* and *D. repleta*, two species with different ecological niches  
413 Errata

## Reviews

- N. L. Stephens and A. J. Halayko 415 Airway smooth muscle contractile, regulatory and cytoskeletal protein expression in health and disease
- T. J. Eddinger 425 Myosin heavy chain isoforms and dynamic contractile properties: skeletal versus smooth muscle
- G. C. Sieck, Y.-S. Han, Y. S. Prakash and K. A. Jones 435 Cross-bridge cycling kinetics, actomyosin ATPase activity and myosin heavy chain isoforms in skeletal and smooth respiratory muscles
- W. H. Guilford and D. M. Warshaw 451 The molecular mechanics of smooth muscle myosin
- J. F. Watchko, M. J. Daoud and G. C. Sieck 459 Myosin heavy chain transitions during development: Functional implications for the respiratory musculature
- General Papers*
- V. Lund and J. A. Olafsen 471 Atypical phosphorylcholine-reactive protein from Atlantic salmon, *Salmo salar* L.
- H. J. Yuasa, E. Furuta, A. Nakamura and T. Takagi 479 Cloning and sequencing of three C-type lectins from body surface mucus of the land slug, *Incilaria fruhstorferi*
- A. M. Guzman-Partida and E. M. Valenzuela-Soto 485 Porcine kidney betaine aldehyde dehydrogenase: purification and properties
- N. Hafid, F. Valverde, E. Villalobo, M. S. Elkebbaj, A. Torres, A. Soukri and A. Serrano 493 Glyceraldehyde-3-phosphate dehydrogenase from *Tetrahymena pyriformis*: enzyme purification and characterization of a *gapC* gene with primitive eukaryotic features
- L. K. Shubina, S. N. Fedorov, E. V. Levina, P. V. Andriyaschenko, A. I. Kalinovsky, V. A. Stonik and I. S. Smirnov 505 Comparative study on polyhydroxylated steroids from echinoderms
- T. Midorikawa, R. Abe, Y. Yamagata, T. Nakajima and E. Ichishima 513 Isolation and characterization of cDNA encoding chicken egg yolk aminopeptidase Ey
- J. J. Bedford, J. L. Harper, J. P. Leader, P. H. Yancey and R. A. J. Smith 521 Betaine is the principal counteracting osmolyte in tissues of the elephant fish, *Callorhincus millii* (Elasmobranchii, Holocephali)
- P. K. Davis and G. Wu 527 Compartmentation and kinetics of urea cycle enzymes in porcine enterocytes
- M. G. L. Medeiros, T. M. P. C. Ferreira, E. L. Leite, L. Toma, C. P. Dietrich and H. B. Nader 539 New pathway of heparan sulphate degradation: Iduronate sulphatase and *N*-sulphoglucosamine 6-sulphatase act on the polymer chain prior to depolymerisation by a *N*-sulpho-glucosaminidase and glycuronidases in the mollusc *Tagelus gibbus*
- C. G. Guglielmo, N. H. Haunerland and T. D. Williams 549 Fatty acid binding protein, a major protein in the flight muscle of migrating Western Sandpipers
- A. Sanchez-Amat, C. Ruzafa and F. Solano 557 Comparative tyrosine degradation in *Vibrio cholerae* strains. The strain ATCC 14035 as a prokaryotic melanogenic model of homogentisate-releasing cell
- D. C. Rule and R. J. McCormick 563 Fatty acid composition and cholesterol concentration in tissues of white-tailed deer (*Odocoileus virginianus*) as influenced by lactation, age, and season of the year
- N. Yoshizaki, A. Moriyama and S. Yonezawa 571 Purification and properties of embryonic cysteine proteinase which participates in yolklysis of *Xenopus laevis*
- M. Mita, M. Yoshikuni and Y. Nagahama 577 Ecto-ATP diphosphohydrolase (apyrase) in ovarian follicle cells of starfish *Asterina pectinifera*
- O. Hisatomi, S. Kayada, Y. Taniguchi, Y. Kobayashi, T. Satoh and F. Tokunaga 585 Primary structure and characterization of a bullfrog visual pigment contained in small single cones
- M. Yamaguchi, M. Jimbo, R. Sakai, K. Muramoto and H. Kamiya 593 Purification and characterization of *Microcystis aeruginosa* (freshwater cyanobacterium) lectin
- S. C. Wache and H. Laufer 599 (n-3) and (n-6) PUFA as biochemical markers for developmental stages of brine shrimp developing toward 'dumpy' or 'slender' adults
- V. I. Lushchak, Y. D. Smirnova and K. B. Storey 611 AMP-deaminase from sea scorpion white muscle: properties and redistribution under hypoxia

## Instructions to Authors

## Vol. 119B, No. 4

- C. Hauton, L. E. Hawkins and S. Hutchinson 619 The use of the neutral red retention assay to examine the effects of temperature and salinity on haemocytes of the European flat oyster *Ostrea edulis* (L)
- H. Saito, H. Yamada and Y. Kato 625 Isolation and partial characterization of chromoprotein from the larval hemolymph of the Japanese oak silkworm (*Antheraea yamamai*)

- J. E. A. de Moreno, V. J. Moreno, L. Ricci, M. Roldán and M. Gerpe
- M. Thomson, J. M. Al-Hassan, J. Al-Saleh, S. Fayad and M. Ali
- M. Paolucci, G. Guerriero, V. Botte and G. Ciarcia
- D. R. Nelson, M. Guershon and D. Gerling
- M. H. L. Arndt and M. M. Santoro
- A. Bedekar, R. M. Zink, D. H. Sherman, T. V. Line and J. F. Van Pilsom
- P. Hovingh and A. Linker
- M. Langer, T. Giebing and J. D'Haese
- S. Tunkijjanukij, H. Gjaever, C. C. Q. Chin and J. A. Olafsen
- M. L. Costa, C. S. Mermelstein, M. M. Fróes, C. Chagas and V. Moura Neto
- K. Nakano, M. Tagawa, A. Takemura and T. Hirano
- G. L. Reed, A. K. Houg and C. Bianchi
- E. S. Kahn, T. Kinumi, S. L. Tobin and H. Matsumoto
- G. Izaguirre, A. Kikonyogo and R. Pietruszko
- C. P. Swann, T. Adewole and J. H. Waite
- L. D. Spotila and S. E. Hall
- S. Hata, K. Azumi and H. Yokosawa
- Y. Nagata, T. Yamamoto, M. Ema, J. Mimura, Y. Fujii-Kuriyama, T. Suzuki, T. Furukohri, K. Konishi, D. Sato, G. Tajima and J. Nakamura
- N. D. Horton, D. J. Kaftani, D. S. Bruce, E. C. Bailey, A. S. Krober, J. R. Jones, M. Turker, N. Khattar, T.-P. Su, S. F. Bolling and P. R. Oeltgen
- C. Caruso-Neves, J. R. Meyer-Fernandes, J. Saud-Nehme, F. Proverbio, R. Marin and A. G. Lopes
- K. Taniai and M. Yamakawa
- F. León-Velarde, J.-P. Richalet, J.-C. Chavez, R. Kacimi, M. Rivera-Chira, J.-A. Palacios and D. Clark
- T. Hrženjak, M. Popović, T. Božić, M. Grdiša, Dorde Kobrehel and L. Tiška-Rudman
- E. Chiaradia, L. Avellini, F. Rueca, A. Spaterna, F. Porciello, M. T. Antonioni and A. Gaiti
- 631 Variations in the biochemical composition of the squid *Illex argentinus* from the South Atlantic Ocean
- 639 Prostanoid synthesis in whole blood cells from fish of the Arabian Gulf
- 647 Apolipoproteins and their electrophoretic pattern throughout the reproductive cycle in the green frog *Rana esculenta*
- 655 The surface wax composition of the exuviae and adults of *Aleyrodes singularis*
- 667 Structure of the extracellular hemoglobin of *Biomphalaria glabrata*
- 677 The comparative amino acid sequences, substrate specificities and gene or cDNA nucleotide sequences of some prokaryote and eukaryote amidinotransferases: implications for evolution
- 691 Glycosaminoglycans in two mollusks, *Aplysia californica* and *Helix aspersa*, and in the leech, *Nephelopsis obscura*
- 697 Purification and functional characterization of an 85-kDa gelsolin from the ascidians *Microcosmus sulcatus* and *Phallusia mammillata*
- 705 Sialic acid in hemolymph and affinity purified lectins from two marine bivalves
- 715 Differences in the isodesmin pattern between the electric organs of *Electrophorus electricus* L.
- 721 Temporal changes in liver carbohydrate metabolism associated with seawater transfer in *Oreochromis mossambicus*
- 729 Comparative biochemical and ultrastructural studies of P-selectin in rabbit platelets
- 739 Phosrestide-I, a peptide derived from the *Drosophila* photoreceptor protein phosphatase I, is a potent substrate for  $\text{Ca}^{2+}$ /calmodulin-dependent protein kinase II from rat brain
- 747 Methylglyoxal as substrate and inhibitor of human aldehyde dehydrogenase: Comparison of kinetic properties among the three isozymes
- 755 Preferential manganese accumulation in dreissenid byssal threads
- 761 Expression of a new RNA-splice isoform of WT1 in developing kidney-gonadal complexes of the turtle, *Trachemys scripta*
- 769 Ascidian phenoloxidase: its release from hemocytes, isolation, characterization and physiological roles
- 777 cDNA cloning and predicted primary structure of scallop sarcoplasmic reticulum  $\text{Ca}^{2+}$ -ATPase
- 787 Isolation and partial characterization of an opioid-like 88 kDa hibernation-related protein
- 807 Ouabain-insensitive  $\text{Na}^{+}$ -ATPase activity of Malpighian tubules from *Rhodnius prolixus*
- 813 Distribution of *Bm1*, a SINE type transposable element, in cecropin B genes of the silkworm, *Bombyx mori*
- 819 Inter and intra-species-related differences in the regulation of the cardiac autonomic system
- 825 Fibrinolytic and anticoagulative activities from the earthworm *Eisenia foetida*
- 833 Physical exercise, oxidative stress and muscle damage in racehorses
- I Volume Contents, Subject, and Author Index for Vol. 119B
- Instructions to Authors

